

校园电子公告屏新增采购项目

采购需求

一、项目名称：广州美术学院附属中等美术学校校园电子公告屏新增采购项目

二、采购预算：48000 元

三、项目概述

为加强学校南北楼及其他教学区域公共空间建设，提升校园文化宣传推广效能，拟采购 13 套电子公告屏（其中 43 寸 10 套，65 寸 3 套）。分别安装于北楼二楼走廊通道、南楼一楼楼梯口及其他教学区域电梯口附近。

四、采购清单

项 号	货 名	型 号	单 位	数 量
1	43 寸雾面液晶广告机 白色	TXD430-B0A	台	10
2	65 寸雾面液晶广告机 白色	TXD495-B1A	台	3

五、完成时间：合同签订后 15 个工作日内完成货物交付。

六、支付方式：先支付定金 30%生产，尾款到后安排发货。

七、交货地点：广州市海珠区昌岗东路 257 号。

八、售后保障：保修 1 年。

九、设备详细参数：



43

寸(灯箱屏)

一体背光

产品规格书

PRODUCT SPECIFICATIONS



PRODUCT PARAMETER

屏参数/Panel Features		输入端口 / Input Ports	
尺寸/Screen Size	43"	HDMI IN	Option
显示区域/Active Display Area	941.18(H)x529.42(V)	HDMI OUT	*1
点距/Pixel Pitch (mm)	0.1903 (H) x 0.5708 (V)	LAN/RJ45	*1
最佳分辨率/Native Resolution	1920*1080 / 3840x2160 RGB	TF	*1
显示比例/Aspect Ratio	16:9	USB	*2
亮度/Brightness (Type)	500 Nits/700 Nits	SD	Option
对比度/Contrast Ratio (Type)	1500:1	输出端口 /Output Ports	
可视角度/Viewing Angle	178(H)/178(V)	耳机输出/Earphone	*1
响应时间/Response Time (Gray to Gray)	8ms	同轴输出/Coaxial	*0
显示色彩/Display Color	8 bit/16.7M	音频参数/Audio Feature	
刷新频率/Frame Rate	60Hz	Audio frequency output	left and right channels Speaker 5W*2
背光源/Backlight	LED	电源参数/Power Feature	
屏寿命/Life Time	>30000 Hrs	电源输入/Power supply	100V-240V,50-60 Hz
功能参数/Functions		待机功耗/Power Saving	≤1W
系统/OS system	Android7.1、9.0	实际功耗/Power consumption(Watt)	≤89W
主板型号/Motherboard model	瑞芯微RK3288、晶晨972	机械规格/Mechanical Design	
CPU	四核Cortex-A17+四核GPU Mail-T764	外观颜色/Chassis Colors	Silver 银色, Black黑色,Option
主频/Main frequency	1.8 GHz	防眩钢化玻璃/Toughened Glass	否/NO
内存/RAM	DDR 2GB(4G Option)	曲面设计/Curvature design	否/NO
内置存储器/Flash	EMMC 8G (16G/32G Option)	壁挂/ Wall Mount	是/Yes
解码分辨率/Decoding resolution	Up to 1080P	按键功能/Front Control (key)	否/NO
网络支持/Networking support	4G\Ethernet, support WIFI / Bluetooth 4.0	整机尺寸描述/Size description of the whole machine	
视频格式/Video format	RMVB,FLV,AVI,MOV,WMV,MP4,MPEG etc.	整机尺寸/Overall size (Without wall hanging)	959.3x549.2x35mm
图像格式/Picture format	JPG, JPEG, BMP, PNG, GIF,	产品尺寸(含挂架)/Product size (including rack)	959.3x549.2x35mm
音频/Audio	MP4, WMA, WAV, APE, FLAC, AAC etc.	包装尺寸/Packing Carton Dimension(W×D×H)	1050x160x660mm
RTC实时时钟/ RTC timing clock	support	净重(含挂架)/Net Weight(Wo/ the Stand)	About --Kg
系统升级/OS update	USB update	毛重/Gross Weight	About --kg
菜单语言/OSD Language	English/Chinese(Brazil)	挂架 (选配) /Hanging rack (optional)	Wall mount / mobile stand x1 (optional)
GPS	External GPS(Optional)	配件/Accessory	
系统看门狗/System watchdog	support	WIFI 天线/WIFI Antenma	0
产品功能特性/Product features	横屏/竖屏/分屏 Horizontal/Vertical/Split Scree	遥控器/Remote Control	1
		电源线/Power Cord	1
	自定义播放/开关机 Customized Play & Power On/Off	保修卡/Warranty Card	1
		说明书/User manual	1
	支持完全无缝切换 upport full seamless switching	壁挂支架/Wall bracket	1
	支持远程网络/本地信息发布 Support Web/Local Info.Publish		


65

寸 (灯箱屏)

一体背光

产品规格书

PRODUCT SPECIFICATIONS



PRODUCT PARAMETER

屏参数/Panel Features		输入端口 / Input Ports	
尺寸/Screen Size	65"	HDMI IN	Option
显示区域/Active Display Area	1428.48(H) x 803.52(V)mm	HDMI OUT	*1
点距/Pixel Pitch (mm)	0.63(H) x 0.63 (V)	LAN/RJ45	*1
最佳分辨率/Native Resolution	1920*1080 / 3840x2160 RGB	TF	*1
显示比例/Aspect Ratio	16:9	USB	*2
亮度/Brightness (Type)	500 Nits/700 Nits	SD	Option
对比度/Contrast Ratio (Type)	1500:1	输出端口 /Output Ports	
可视角度/Viewing Angle	178(H)/178(V)	耳机输出/Earphone	*1
响应时间/Response Time (Gray to Gray)	8ms	同轴输出/Coaxial	*1
显示色彩/Display Color	8 bit/16.7M	音频参数/Audio Feature	
刷新频率/Frame Rate	60Hz	Audio frequency output	left and right channels Speaker 5W*2
背光源/Backlight	LED	电源参数/Power Feature	
屏寿命/Life Time	>30000 Hrs	电源输入/Power supply	100V-240V,50-60 Hz
功能参数/Functions		待机功耗/Power Saving	≤1W
系统/OS system	Android7.1、9.0	实际功耗/Power consumption(Watt)	≤88W
主板型号/Motherboard model	瑞芯微RK3288、晶晨972	机械规格/Mechanical Design	
CPU	四核Cortex-A17+四核GPU Mail-T764	外观颜色/Chassis Colors	Silver 银色, Black黑色,Option
主频/Main frequency	1.8 GHz	防眩钢化玻璃/Toughened Glass	否/NO
内存/RAM	DDR 2GB(4G Option)	曲面设计/Curvature design	否/NO
内置存储器/Flash	EMMC 8G (16G/32G Option)	VESA壁挂/VESA Wall Mount	是/Yes
解码分辨率/Decoding resolution	Up to 1080P	按键功能/Front Control (key)	否/NO
网络支持/Networking support	4G\Ethernet, support WIFI / Bluetooth 4.0	整机尺寸描述/Size description of the whole machine	
视频格式/Video format	RMVB,FLV,AVI,MOV,WMV,MP4,MPEG etc.	整机尺寸/Overall size (Without wall hanging)	1446.2x822.7x35mm
图像格式/Picture format	JPG, JPEG, BMP, PNG, GIF,	产品尺寸(含挂架)/Product size (including rack)	1446.2x822.7x35mm
音频/Audio	MP4、WMA、WAV、APE、FLAC、AAC etc.	包装尺寸/Packing Carton Dimension(W×D×H)	1540x160x915mm
RTC实时时钟/ RTC timing clock	support	净重(含挂架)/Net Weight(Wo/ the Stand)	About 35Kg
系统升级/OS update	USB update	毛重/Gross Weight	About 40g
菜单语言/OSD Language	English/Chinese(Brazil)	挂架 (选配) /Hanging rack (optional)	Wall mount / mobile stand x1 (optional)
GPS	External GPS(Optional)	配件/Accessory	
系统看门狗/System watchdog	support	WIFI 天线/WIFI Antenma	0
产品功能特性/Product features	横屏/竖屏/分屏 Horizontal/Vertical/Split Scree	遥控器/Remote Control	1
		电源线/Power Cord	1
	自定义播放/开关机 Customized Play & Power On/Off	保修卡/Warranty Card	1
		说明书/User manual	1
	支持完全无缝切换 upport full seamless switching	壁挂支架/Wall bracket	1
		钥匙	0
支持远程网络/本地信息发布 Support Web/Local Info.Publish			